
MATERIAL SAFETY DATA SHEETProduct Name: **Facelift PART C Filler****Absolute Protective Coatings**

H.M.I.S. RATING

SECTION 1: IDENTIFICATION

MANUFACTURER: Absolute Protective Coatings
ADDRESS: 1265 N Hendrickson Dr Kalama, WA 98625
PHONE: 1 360 673 6404

CHEMICAL NAME: N/A
COMMON NAME: **Facelift PART C**
Filler CHEMICAL FAMILY: N/A

SECTION 2: HAZARDOUS CHEMICALS

CHEMICAL NAME/CAS #	%	Lethal Dose	Lethal Concentration
Silica, crystalline, quartz / 14808-60-7	60-100	N/A	N/A
Barium Sulphate / 7727-43-7	7-13	N/A	N/A

SECTION 3: HEALTH HAZARDS

ROUTES OF EXPOSURE: Eye contact, inhalation

Acute Exposure: Low concentrations of silica dust may irritate the respiratory tract and eyes.

Chronic Exposure: Prolonged and repeated exposure to crystalline silica dust may cause silicosis and lung cancer.

MATERIAL SAFETY DATA SHEET

Product Name: **Facelift PART C Filler**

Absolute Protective Coatings

Exposure Limits: ACGIH TLV free. Silica=0.1 ppm respirable dust
Teratogenicity: Not available
Irritancy of product: As noted above
Reproduction Toxicity: Not applicable
Sensitization: Does not meet criteria
Mutagenicity: Not applicable
Carcinogenicity: Free silica is a probable carcinogen, IAARC-2A list
Synergistic Products: Not available

Health	2
Flammability	0
Reactivity	1

SECTION 4: FIRST AID

Eyes: Flush with running water for at least 20 minutes, while holding eyelids open. Refer individual to physician if irritation persists.

Skin: Remove contaminated clothing. Wash affected areas thoroughly with soap and water. Wash contaminated clothing thoroughly before reuse. Get medical attention if irritation persists.

Inhalation: Remove to fresh air. Give artificial respiration as needed. Obtain medical attention.

Ingestion: Do not induce vomiting. Wash mouth out thoroughly with water. Give 3 or 4 glasses of water. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON. If aspiration to the lungs is suspected, obtain medical advice urgently. Consult a physician.

SECTION 5: FIRE AND EXPLOSION DATA

Flammable	No
Flash Point	Not applicable
Upper/lower flammability limit	Not available
Autoignition temperature	Not available
Hazardous combustion products	Sulphur dioxide gas
Sensitivity to static discharge	No
Explosion data, sensitivity to impact	No

Means of extinction: Use appropriate means to extinguish surrounding fire. Use water spray to cool containers.

Special Fire Fighting Procedures: Firefighters must wear self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Secure the spill area. Use all applicable personal protective equipment. Minimize generation of airborne dust during handling.

SECTION 7: HANDLING AND STORAGE

Handling and Storage Procedures: Store in a cool, dry place away from direct sunlight. Do not store near foodstuffs. Keep containers tightly closed when not in use. Minimize generation of airborne dust during handling.

MATERIAL SAFETY DATA SHEET

Product Name: **Facelift PART C Filler**

Absolute Protective Coatings

SECTION 8: PERSONAL PROTECTION AND EXPOSURE CONTROLS

Skin Protection Requirements: Gloves not normally needed. Coveralls recommended. Footwear as required on job site.

Eye Protection: Safety goggles strongly recommended.

Respirator Requirements: NIOSH recommends, at any detectable level of crystalline silica in air, a positive pressure full face-piece self-contained breathing apparatus.

Additional Protective Measures: Safety showers and eyewash stations should be available.

Engineering Controls (specify ventilation, enclosed process): Use a combination of general dilution ventilation and local exhaust ventilation to control exposure.

SECTION 9: TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

Physical Form		Solid
Color		White
Odor		None
Appearance		Powder
Vapor Pressure		Not applicable
Vapor Density (Air=1)		Not applicable
Odor Threshold		Not applicable
Evaporation Rate (n-Butyl acetate=1)		Not applicable
Boiling Point		2200°C
Freezing Point		1500°C
pH		Not applicable
Specific Gravity (water=1)	2.48	
Solubility in Water		Insoluble in water

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal conditions

Incompatibilities (Materials to avoid): Incompatible with hydrofluoric acid, silica may react violently.

Reactivity: Not reactive under normal conditions.

Hazardous Decomposition Products (by high heat and fire): None known.

SECTION 11: TOXICOLOGICAL PROPERTIES

N/A

SECTION 12: ECOLOGICAL INFORMATION

N/A

MATERIAL SAFETY DATA SHEETProduct Name: **Facelift PART C Filler****Absolute Protective Coatings**

SECTION 13: DISPOSAL INFORMATION

Waste Removal: Follow all national, state and local regulations for non-hazardous waste management.

SECTION 14: TRANSPORT INFORMATION

Not "Dangerous Goods" under TDGR

SECTION 15: REGULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

DISCLAIMER: The information contained herein is based on data believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable regarding all current regulations.
